=> IFW: Scan as Doc Code: SRNT <= Doc Date:

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: /0/658,443

1.) See <u>attached</u> printout of inventors listed in PALM

2.) See <u>attached</u> EAST Inventor Search Printout shows Inventor search terms



Appin Info

PALM INTRANET

Day: Tuesday Date: 8/8/2006 Time: 14:28:46

Foreign [

Inventor Information for 10/658443

Petition Info

Inventor Name	City	State/Country
KURAMOTO, SATORU	KARIYA-SHI	JAPAN
KAWAGUCHI, MASAHIRO	KARIYA-SHI	JAPAN
YAMAMOTO, SHINYA	KARIYA-SHI	JAPAN
HOSHINO, NOBUAKI	KARIYA-SHI	JAPAN
KUWAHARA, MAMORU	KARIYA-SHI	JAPAN

Search Another: Application#	Search or Patent#	Search
PCT / Sear	or PG PUBS #	Search
Attorney Docket #	Search	
Bar Code #	Search	

Atty/Agent Info

Continuity/Reexam

To go back use Back button on your browser toolbar.

Contents

Back to PALM | ASSIGNMENT | OASIS | Home page

1	US 7083707 B2	20060801	Decomposition apparatus and decomposition method	204/228.6	204/275.1	Miura; Toshihiko et al.
1	US 7068955 B2	20060627	Image forming apparatus having developer amount detector	399/27		Yamamoto; Shinya et al.
1	US 7058320 B2	20060606	Image forming apparatus, cartridge detachably mountable to the image forming apparatus, developer remainder displaying method and system	399/27	399/111; 399/24; 399/25	Yamamoto; Shinya et al.
1	US 7035980 B2	20060425	Effects of prefetching on I/O requests in an information processing system	711/137	712/207	Kurokawa; Isamu et al.
1	US 7018514 B2	20060328	Method and apparatus for processing substances to be decomposed	204/157.3	588/313	Kato; Kinya et al.
1	US 6971859 B2	20051206	Diaphragm unit	417/395		Yamamoto; Shinya et al.
1	US 6970310 B2	20051129	Disk control apparatus and its control method	360/31	360/53; 711/114; 714/6	Kawaguchi; Masahiro et al.
1	US 6939621 B2	20050906	Plated copper alloy material and process for production thereof	428/647	205/176; 205/181; 205/182; 205/226; 428/648; 428/675; 428/929; 428/935; 439/886; 439/887	Hara; Toshihisa et al.
1	US	20050823	Storage system	714/48		Kawaguchi;

	6934891		having trace			Masahiro et
	B2		information			al.
			fetching structure			
			and method of			
			fetching the same			
$\frac{1}{1}$	US	20050802	MEMORY	399/27		Yamamoto;
*	6925267	20050002	DEVICE	373,27		Shinya et
	B2		STORING			al.
	<i>D2</i>		INFORMATION			""
			WARNING A			
			USER ABOUT			
			THE			
			DEVELOPER-			
			REMAINING			
	:		AMOUNT, A			
			PROCESS			
			CARTRIDGE			
			INCLUDING A			}
			MEMORY			
			STORING SUCH			
			INFORMATION,			
			AND A			
			CONTROL			
			SYSTEM AND A			İ
			MEMORY			
			SYSTEM FOR			
			WARNING A			
			USER ABOUT			
			THE			
			DEVELOPER-			
			REMAINING			
			AMOUNT			
1	US	20050628	IMAGE	399/27	399/25	Yamamoto;
	6912366		FORMING			Shinya et
	B1		APPARATUS			al.
			COMPRISING			
			MEANS FOR			
			DETECTING AN			
			AMOUNT OF			
			DEVELOPER			
			CONTAINED IN			
			A DEVELOPER			
			CONTAINER, A			
			MEMORY FOR			
			STORING THE			
			AMOUNT			

1	US	20050628	DETECTED BY THE DETECTING MEANS, AND CONTROL MEANS FOR UPDATING THE INFORMATION STORED IN THE MEMORY Compressor torque	62/228.3	417/12;	Matsubara;
	6910344 B2	20030026	estimate device, engine controller and method of estimating compressor torque		417/213; 417/24; 62/228.1; 62/228.5; 62/244	Ryo et al.
1	US 6909869 B2	20050621	Developer regulating member and developing apparatus	399/284		Yamamoto; Shinya et al.
1	US 6893368 B2	20050517	Driving force transmission apparatus	474/70	60/698	Fujiwara; Hideki et al.
1	US 6874989 B2	20050405	Vacuum pump	415/119	415/177; 415/214.1; 417/310; 417/440; 417/572	Kuramoto; Satoru et al.
1	US 6854023 B2	20050208	Data processing system and storage control device used therefor	710/9	710/36; 711/114; 711/170	Kurokawa; Isamu et al.
1	US 6833115 B2	20041221	Method of decomposing pollutants and apparatus for the same	422/121	210/748	Kato; Kinya et al.
1	US 6821094 B2	20041123	Hybrid power transmission system having first and second clutch mechanisms	417/223	310/92; 417/374	Murakami; Kazuo et al.
1	US 6800257 B1	20041005	Process for preparing trichloracetic acid and apparatus for	422/186.3	210/150; 210/188; 210/192; 210/748;	Kuriyama; Akira et al.

			use in such process		210/750; 210/806	
1	US 6795672 B2	20040921	Developer regulating member and developing apparatus including the same	399/284		Yamamoto; Shinya et al.
1	US 6759142 B2	20040706	Plated copper alloy material and process for production thereof	428/647	205/176; 205/181; 205/182; 205/226; 205/241; 428/648; 428/675; 428/929; 428/935	Hara; Toshihisa et al.
1	US 6754727 B2	20040622	Data processing system and storage control device used therefor	710/9	710/36; 711/114; 711/170	Kurokawa; Isamu et al.
1	US 6751971 B2	20040622	Variable displacement type compressor, air conditioner with the variable displacement type compressor, and method for controlling displacement in the variable displacement type compressor	62/228.5	62/229	Kawaguchi; Masahiro et al.□
1	US 6725681 B2	20040427	Air conditioner	62/228.5	417/222.2; 417/223; 417/374; 417/45; 62/133; 62/244	Adaniya; Taku et al.
1	US 6719538 B2	20040413	Rotating apparatus	417/223	417/362; 417/374	Ota; Masaki et al.
1	US 6719537 B2	20040413	Compressor and pulley for compressor	417/223	417/269	Kawaguchi; Masahiro et al.
1	US	20040330	Image forming	399/25	399/111	Sasame;

	6714745 B2		apparatus having a plurality of image forming stations, and unit detachably mountable on the apparatus			Hiroshi et al.
1	US 6712589 B2	20040330	Scroll compressors	417/410.5	418/188; 418/55.3; 418/55.5; 418/57	Mori; Tatsushi et al.
1	US 6707204 B2	20040316	Rotational unit	310/102R	417/16; 417/362	Odachi; Yasuharu et al.
1	US 6705444 B2	20040316	One-way clutch unit	192/45	192/110B	Fujiwara; Hideki et al.
1	US 6705102 B2	20040316	Vehicular air- conditioner	62/228.1	417/222.2; 417/42; 417/44.11	Adaniya; Taku et al.
1	US 6699370 B2	20040302	Process and system for decomposing pollutants	204/157.3	204/158.2; 96/243; 96/256	Kuriyama; Akira et al.
1	US 6688864 B2	20040210	Oil leak prevention structure of vacuum pump	418/104	277/417; 277/424; 418/206.6	Yamamoto; Shinya et al.
1	US 6688863 B2	20040210	Oil leak prevention structure of vacuum pump	418/104	418/206.6; 418/206.8; 418/88	Hoshino; Nobuaki et al.
1	US 6679078 B2	20040120	Variable displacement compressors and methods for controlling the same	62/228.3	417/222.2; 62/229	Yoshida; Hiroyuki et al.
1	US 6663367 B2	20031216	Shaft seal structure of vacuum pumps	418/104	277/400; 277/430; 418/206.6; 418/88	Yamamoto; Shinya et al.
1	US 6663365 B2	20031216	Scroll type compressor	418/55.2	418/178; 418/55.4	Mori; Tatsushi et al.
1	US 6662580 B2	20031216	Air-conditioning system for vehicle and its control	62/228.1	123/339.17; 417/374; 417/411;	Suitou; Ken et al.

			method		417/42;	
					62/230	
1	US	20031209	Shaft seal structure	418/104	418/141;	Yamamoto;
	6659747		of vacuum pumps		418/206.6;	Shinya et
	B2		· · · · · · · · · · · · · · · · · · ·		418/88	al.
1	US	20031209	Shaft seal structure	418/104	418/141;	Hoshino;
:	6659746		of vacuum pumps		418/206.6	Nobuaki et
	B2					al.
1	US	20031209	Variable	417/222.1		Takenaka;
	6659733		displacement			Kenji et al.
	Bl	20021200	compressor	104/616	077/202	37
1	US	20031209	Oil leak prevention	184/6.16	277/303	Yamamoto;
	6659227		structure for			Shinya et
	B2	20021028	vacuum pump	62/158	417/222.2;	al.
1	US	20031028	Control apparatus for variable	02/138	62/228.3	Ota; Masaki et
	6637223 B2				02/228.3	al.
	B2		displacement			ai.
1	US	20030916	compressor Rotational	417/223	310/113;	Adaniya;
1	6619929	20030910	apparatus	7177223	417/319;	Taku et al.
	B2		арраганиз		417/374	Taku Ct ai.
1	US	20030826	Motor-operated	417/269	417/222.2	Nakane;
-	6609897		compressor			Yoshiyuki
	B1					et al.
1	US	20030729	Purifying	210/748	204/232;	Kawaguchi;
	6599431		apparatus for		204/554;	Masahiro et
	B2		contaminated		210/150;	al.
			water and ground		210/188;	
			water and method		210/192;	
			thereof		210/218;	
					210/806	
1	US	20030715	Image forming	399/24	399/25;	Kakeshita;
	6594451		apparatus, and use		399/26;	Tomomi et
	B2		situation reporting		399/27;	al.
			system for		399/31;	
			reporting use		399/81	
			situations of			
			developer and			
			other consumables			
			stowed in image			
1	US	20030708	forming apparatus Control valve for	417/222.2	62/228.3;	Kimura;
1	6589020	20030708	variable	71//222.2	62/228.5	Kimura, Kazuya et
	B2		displacement		02,220.3	al.
	102		compressor			"
1	US	20030701	Image forming	399/27	399/29;	Yamamoto;
		1 -0000,01		1	1	1

	6587649 B1	20020701	apparatus, cartridge detachably mountable to the image forming apparatus, developer remainder displaying method and system	92/71	399/30 92/155	Shinya et al.
1	US 6584886 B2	20030701	Compressor	92//1	92/133	Sugiura; Manabu et al.
1	US 6584291 B1	20030624	IMAGE FORMING APPARATUS FOR CALCULATING A PRINTABLE NUMBER OF SHEETS AND A CARTRIDGE DETACHABLY MOUNTABLE TO THE APPARATUS COMPRISING A MEMORY FOR STORING DATA REPRESENTING A PRESENT AMOUNT OF DEVELOPER	399/27	399/25	Yamamoto; Shinya
1	US 6582200 B2	20030624	Swash plate compressor having shoes made of a magnesium-based material	417/222.2	91/499; 92/71	Kato; Takayuki et al.
1	US 6581507 B2	20030624	Single-headed piston type swash	92/71	92/153	Mizutani; Hideki et al.
1	US 6579071 B1	20030617	Structure for suppressing pulsation in compressor	417/269	181/403; 417/312; 417/540	Tarutani; Tomoji et al.
1	US	20030603	Variable	417/213	251/129.02;	Kimura;

	6572341 B2		displacement type compressor with suction control valve		251/129.15; 417/270	Kazuya et al.
1	US 6558133 B2	20030506	Variable displacement compressor	417/222.2	417/269; 92/71	Fukanuma; Tetsuhiko et al.
1	US 6557360 B2	20030506	Compressor torque computing method, air-conditioning system and engine control apparatus	62/133	62/229	Matsubara; Ryo et al.
1	US 6554594 B2	20030429	Shaft seal structure for vacuum pump	418/104	418/206.6; 418/79	Yamamoto; Shinya et al.
1	US 6546212 B1	20030408	Image forming apparatus and unit detachably attachable to the same image forming apparatus and information displaying system related to unit detachably attachable to the same image forming apparatus	399/24	399/12	Ogata; Hiroaki et al.
1	US 6544016 B2	20030408	Scroll compressors	418/55.1	418/188; 418/270	Gennami; Hiroyuki et al.
1	US 6538170 B2	20030325	Polluted soil remediation apparatus, polluted soil remediation method, pollutant degrading apparatus and pollutant degrading method	204/158.2	204/157.3; 250/253; 405/128.45; 588/306; 588/320; 588/406	Kato; Kinya et al.
1	US 6537037 B2	20030325	Variable displacement compressor and air conditioning apparatus	417/213	137/487.5; 417/270; 62/228.5	Ota; Masaki et al.

	US	20030318	Piston type	92/71		Ota;
1 1	6532860	20030310	compressor and	72//1		Masaki et
	B2		inner mold for			al.
	D2		l '			ai.
1	TIC	20020204	making the same	(2/229.4	(2/220	Cuitan Van
1	US	20030304	Apparatus and	62/228.4	62/229	Suitou; Ken
	6526772		method for			et al.
	B2	[controlling electric			
			compressor			
1	US	20030225	Control valve for	417/222.2	62/228.3;	Suitou; Ken
	6524077		variable		62/228.5	et al.
	B2		displacement			
			compressor			
1	US	20030218	Air conditioner	62/228.3	417/222.2;	Suitou; Ken
	6519960				73/861.66	et al.
	B2					
1	US	20030211	Variable	417/222.1	417/222.2	Takenaka;
1 1	6517321	20030211	displacement	4177222.1	1177222.2	Kenji et al.
	B1		compressor			Rengi et ai.
1	US	20030204		417/222.2	137/601.13;	Mera;
1 1	l	20030204	Compressor control valve with	41//222.2	137/601.13,	Minoru et
	6514049		i		13//001.14	
	B2		two independently			al.
			operated check			
			valves, wherein the			
			crank chamber			
			pressure is the			
			control pressure,			
			and the monitor			
			pressure is the			
			suction pressure			
1	US	20030204	External control	417/222.2	417/222.1;	Makino;
	6514048		variable		417/269	Yoshihiro
	B2		displacement			et al.
			compressor			
1	US	20030128	Compressors	417/44.1	62/259.2	Suitou; Ken
1	6511295	20000120	Compiedos	,		et al.
	B2					Je ui.
1	US	20030128	Displacement	62/133	236/79;	Ota;
	6510699	20030120	control apparatus	02/133	417/222.2	Masaki et
			for variable		71 //222.2	1
	B2					al.
			displacement			
<u> </u>	TIO	20020151	compressor	(0/000	417/222	
1	1.116	- 300201 7 1	Air conditioner	62/228.3	417/222.2;	Ota;
	US	20030121			FO 10 44	3.6
	6508071	20030121	and displacement		73/861.53	Masaki et
		20030121	and displacement control valve for		73/861.53	Masaki et al.
	6508071	20030121	and displacement		73/861.53	

•

			compressor			
1	US 6505473 B2	20030114	Vehicle air conditioner and method for controlling vehicle air conditioner	62/133	62/228.3	Suitou; Ken et al.
1	US 6493519 B2	20021210	Image forming apparatus having a plurality of image forming stations, and unit detachably mountable on the apparatus	399/25	399/111	Sasame; Hiroshi et al.
1	US 6484520 B2	20021126	Displacement control apparatus for variable displacement compressor, displacement control method and compressor module	62/133	62/228.3; 62/228.5	Kawaguchi; Masahiro et al.
1	US 6481976 B2	20021119	Control valve and variable capacity type compressor having control valve	417/222.2	137/454.6; 251/61.5; 417/199.1; 417/222.1; 417/269; 417/295	Kimura; Kazuya et al.
1	US 6481227 B1	20021119	Air conditioner	62/209	62/228.3	Ota; Masaki et al.
1	US 6471024 B2	20021029	Torque limiting mechanism	192/56.5	192/53.6	Ota; Masaki et al.
1	US 6464481 B2	20021015	Scroll compressors	418/55.6	417/369; 418/188; 418/55.1; 418/55.5; 418/57	Tsubai; Shinji et al.
1	US 6457959 B2	20021001	Anti-rotation mechanism for movable scroll in scroll compressor	418/55.2	418/55.3	Nakane; Yoshiyuki et al.
1	US 6453685	20020924	Control apparatus and control	62/115	62/227; 62/228.3	Ota; Masaki et

•

	B2	 	method for	Ι		al.
	B2		variable			al.
			displacement			
1	US	20020917	compressor Image forming	399/167	399/299;	Sasame;
1	6453139	20020917		399/10/	399/66;	Hiroshi et
	B2		apparatus		399/82	al.
_		20020017	Air conditioning	62/228.3	<u> </u>	
1	US	20020917	Air-conditioning	02/228.3	417/222.2;	Kimura;
	6449971		system		62/160	Kazuya et
	B1	20020017	771'1'	60/122	60/150	al.
1	US	20020917	Vehicle air	62/133	62/158;	Murao;
	6449965		conditioner		62/229;	Kazushige
	B1				62/323.4	et al.
1	US	20020910	Control valve for	417/222.2	137/565.16	Ota;
	6447258		variable			Masaki et
	B2		displacement			al.
			compressor			
1	US	20020820	Control valve and	62/133	417/222.2;	Ota;
	6434956		method for		62/228.3	Masaki et
	B1		controlling an air-			al.
			conditioning			
			system			
1 .	US	20020730	Control device for	62/133	62/228.3	Ota;
	6425254		variable			Masaki et
	B1		displacement			al.
			compressor			
1	US	20020723	Fluid machine	417/222.2		Yamada;
	6422830					Kiyohiro et
	B1					al.
1	US	20020716	Structure for	417/504	137/855;	Murase;
	6419467		suction valve of		417/560;	Muneharu
į	B1		piston type		417/571	et al.
			compressor			
1	US	20020709	Stopping means	417/222.2	417/365	Kawaguchi;
	6416297		for preventing			Masahiro et
	B1		movement of the			al.
			drive shaft of a			
			variable			
			displacement			
			compressor			
1	US	20020702	Developing	399/284	399/111;	Yamamoto;
	6415127		apparatus having a		399/285	Shinya et
	B1		direct or			al.
	- -		alternating current			
			applied thereto	[
1	US	20020702	Developing	399/254	399/255;	Yamamoto;
_		20020702	~~, ~, ~, ~, ~,	1 277,201	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1

	6415125 B1		apparatus featuring an area where a partly exposed developer agitating member and conveying member are disposed		399/260	Shinya et al.
1	US 6412294 B2	20020702	Control device of variable displacement compressor	62/228.3	62/229; 62/323.1	Kimura; Kazuya et al.
1	US 6398516 B1	20020604	Variable displacement compressors and control valves for variable displacement compressors	417/222.2		Kawaguchi; Masahiro et al.
1	US 6395533 B1	20020528	Recovering microorganisms from soil by suspending soil in a citrate buffer	435/252.1	435/243; 435/261; 435/262.5; 435/264; 435/270; 435/822	Kawaguchi; Masahiro et al.
1	US 6393849 B1	20020528	Air-conditioning apparatus and control procedure for variable displacement compressor	62/133	62/209; 62/215; 62/228.1	Takenaka; Kenji et al.
1	US 6390784 B1	20020521	Solenoid protector for a variable displacement compressor	417/222.2	417/270	Kawaguchi; Masahiro et al.
1	US 6389824 B2	20020521	Controller for variable displacement compressor	62/115	417/222.2; 62/227; 62/417	Ota; Masaki et al.
1	US 6386834 B1	20020514	Control valve of displacement variable compressor	417/222.2		Kimura; Kazuya et al.
1	US 6385979 B2	20020514	Displacement control apparatus and method for variable	62/115	62/133; 62/209; 62/228.3	Ota; Masaki et al.

			displacement			
<u></u>			compressor			
1	US	20020507	Control valve in	417/222.2		Ota;
	6382926		variable			Masaki et
	B2		displacement			al.
			compressor			
1	US	20020430	Suction valve in	417/222.2	417/269	Ota;
	6379121		variable			Masaki et
	B1		displacement			al.
ļ			compressor			
1	US	20020423	Compressor for a	D15/9		Kawaguchi;
	D456029		vehicle air			Masahiro et
	S		conditioner			al.
1	US	20020416	Control valve for	417/222.2	92/12.2	Ota;
	6371734		variable			Masaki et
	B1		displacement			al.
			compressor			
1	US	20020409	Piston type	417/269		Yamamoto;
į	6368074		compressor			Shinya et
	B1					al.
1	US	20020409	Variable	417/222.2	417/269;	Fukanuma;
	6368069		displacement		92/71	Tetsuhiko
	B1		compressor			et al.
1	US	20020409	Method for soil	405/128.45	405/129.6;	Sugawa;
	6368019		remediation		588/249	Etsuko et
	B2					al.
1	US	20020326	Compressor for a	D15/9		Kawaguchi;
	D454889		vehicle air			Masahiro et
	S		conditioner			al.
1	US	20020326	Displacement	417/222.2		Ota;
	6361283		control valve			Masaki et
_	B1 ·					al.
1	US	20020312	Air-conditioning	701/36	62/133	Takenaka;
	6356825		system for			Kenji et al.
	B1		automobiles and			:
			its control method			
1	US	20020312	Control valve for	417/222.2	137/596.17;	Ota;
1	6354811		variable		417/270	Masaki et
	B1		displacement	1		al.
			compressors			
1	US	20020219	Piston-type	417/269	417/222.2;	Nakane;
	6347927		compressor with		91/499;	Yoshiyuki
	B1		bolted separating		92/12.2	et al.
1	I	I	wall			
— —						
1	US 6347198	20020212	Image forming apparatus having	399/27		Yamamoto; Shinya et

	D.1				·	
	B1		developer amount			al.
			detecting means			
			and cartridge			
			detachably			
			mountable on the		•	
			apparatus having a			
			memory for			
			storing information			
1 :			on the amount of			
			developer detected			
<u> </u>		00000100	by detecting means	264/464	405/201 0	TZ '1
1	US	20020122	Fine	264/464	425/381.2;	Kurihara;
	6340443		particle/polyester		524/497;	Hideshi et
	B1		slurry melt-		524/539;	al.
			kneaded in		524/601;	
			extruder with		524/847;	
1			polyester		525/444	
1	US	20020115	Piston-type	417/222.2	417/269;	Okuno;
-	6338613		compressor		92/71	Takuya et
	B1		Compressor		, , , , ,	al.
$\frac{1}{1}$	US	20020108	Engine control	62/133	123/198R;	Ota;
1		20020108		02/133	123/1361,	Masaki et
	6336335		apparatus of		1	
	B1		vehicle having air		62/228.3;	al.
			conditioner		62/229;	
					62/243	
1	US	20020101	Copper alloy sheet	148/435	420/485;	Ogura;
	6334915		for electronic parts		420/486;	Tetsuzo et
	B1				420/487;	al.
					420/488	
1	US .	20011218	Compressor for a	D15/9		Kawaguchi;
1	D452254		vehicle air			Masahiro et
	S		conditioner			al.
1	US	20011127	Control apparatus	62/133	62/228.3;	Ota;
1	6321545	2001112/	for variable	J. 133	62/229	Masaki et
	B1				021229	al.
	ומ		displacement type			ai.
1	TIC	20011120	compressor	425/202 1	425/202 2	IZ1.*
1	US	20011120	Process and	435/293.1	435/293.2;	Kawaguchi;
	6319706		apparatus for		435/297.4	Masahiro et
	B1		remedying			al.
			polluted media			
1	US	20010918	Shaft sealing	417/269	277/565;	Okuno;
	6290470		assembly and		417/222.1;	Takuya et
	B1		compressor		92/71	al.
			incorporating the			
			same			
1	US	20010911	Anti-rotation	418/55.2	418/55.3	Nakane;
ـــــــــــــــــــــــــــــــــــــــ					1	

	6287096 B1		mechanism for movable scroll in scroll compressor			Yoshiyuki et al.
1	US 6283722 B1	20010904	Variable displacement type compressor	417/222.2	92/12.2	Takenaka; Kenji et al.
1	US 6267563 B1	20010731	Variable capacity type compressor with inclined capacity control valve	417/222.2		Yamada; Kiyohiro et al.
1	US 6254356 B1	20010703	Fitting structure for controlling valve in variable capacity compressor	417/222.2	137/454.6; 137/625.65; 417/454	Yamada; Kiyohiro et al.
1	US 6250891 B1	20010626	Variable displacement compressor having displacement controller	417/222.2	417/269	Kawaguchi; Masahiro et al.
1	US 6242477 B1	20010605	Pharmaceutical compositions containing pyrylium compounds, pyrylium salts and process for manufacturing a medicament containing the aforesaid compounds	514/432	514/451; 514/460; 607/88; 607/94	Okamoto; Tadashi et al.
1	US 6234904 B1	20010522	Drive power transmission apparatus	464/30	192/56.5; 417/223	Kawaguchi; Masahiro et al.
1	US 6231315 B1	20010515	Compressor having a value plate and a gasket	417/269	137/856; 417/560	Ikeda; Hayato et al.
1	US 6229971 B1	20010508	Toner concentration detecting method and system	399/58	118/690; 399/53; 399/60	Yamamoto; Shinya
1	US 6227812 B1	20010508	Refrigerant circuit and compressor	417/222.2	417/307; 417/440; 62/498	Kawaguchi; Masahiro et al.

1	US D441377	20010501	Compressor for a vehicle air	D15/9		Kawaguchi; Masahiro et
1	S US 6224348 B1	20010501	conditioner Device and method for controlling displacement of variable displacement compressor	417/222.2	251/129.13	al. Fukanuma; Tetsuhiko et al.
1	US 6213741 B1	20010410	Scroll type compressor	418/55.2		Mori; Tatsushi et al.
1	US 6213727 B1	20010410	Variable displacement compressor and outlet control valve	417/222.2	417/569	Kawaguchi; Masahiro
1	US 6203284 B1	20010320	Valve arrangement at the discharge chamber of a variable displacement compressor	417/222.2	417/269; 417/270	Kawaguchi; Masahiro et al.
1	US 6202301 B1	20010320	Method for manufacturing piston of variable- capacity type compressor	29/888.02		Kawaguchi; Masahiro
1	US 6200105 B1	20010313	Control valve in variable displacement compressor and method of manufacture	417/222.2	417/213	Kawaguchi; Masahiro et al.
1	US 6189434 B1	20010220	Single-headed piston type swash- plate-operated compressor and a method of producing a swash plate	92/71	92/155	Kawaguchi; Masahiro et al.
1	US 6183885 B1	20010206	Fitting-type connection terminal	428/647	428/648; 428/929; 439/886	Nakamura; Atsushi et al.
1	US 6174147	20010116	Refrigerant compressor with	417/569	137/856; 417/269;	Tarutani; Tomoji et

	B1		an improved discharge valve assembly		417/571	al.
1	US 6164926 A	20001226	Variable displacement compressor	417/222.2	137/51; 137/56	Kawaguchi; Masahiro
1	US 6158974 A	20001212	Reciprocating compressor	417/269		Tarutani; Tomoji et al.
1	US 6146107 A	20001114	Variable displacement compressor	417/222.2	417/222.1; 92/12.2	Kawaguchi; Masahiro et al.
1	US 6146106 A	20001114	Electromagnetic valve	417/222.2	251/129.18; 251/61.5	Suitou; Ken et al.
1	US 6144275 A	20001107	Solenoid actuator	335/262	251/129.15	Hirata; Ichiro et al.
1	US 6142745 A	20001107	Piston type variable displacement compressor	417/222.2		Kawaguchi; Masahiro et al.
1	US 6142445 A	20001107	Electromagnetic control valve	251/129.15	251/323	Kawaguchi; Masahiro et al.
1	US 6141510 A	20001031	Toner concentration detecting method and system	399/60		Yamamoto; Shinya
1	US 6135722 A	20001024	Positional relationship of a bearing in the shutoff member of a variable displacement compressor	417/222.2	417/270	Kawaguchi; Masahiro et al.
1	US 6134898 A	20001024	Positive- displacement-type refrigerant compressor with a novel oil- separating and lubricating system	62/193	62/470; 62/84	Umemura; Satoshi et al.
1	US 6126406 A	20001003	Variable displacement compressor	417/222.2		Kawaguchi; Masahiro et al.

					r .	
1	US	20001003	Undulating current	417/222.2	417/270;	Kawaguchi;
	6126405		supplying means		417/278;	Masahiro et
	Α		for the solenoid of		62/228.5	al.
			a displacement			
			control valve in a			
					-	
			variable			
			displacement			
			compressor			
1	US	20000926	Pharmaceutical	514/432		Okamoto;
	6124342		compositions			Tadashi et
	A	'	containing			al.
	11		pyrylium			u.
			compounds,			
			pyrylium salts and			
			process for			
			manufacturing a			
			medicament			
		*	containing the			
			aforesaid			
			* *			
 	X I C	2000000	compounds	417/000 0	277/550	77
1	US	20000926	Sealing structure	417/222.2	277/559;	Kawaguchi;
	6123514		for compressors		277/560;	Masahiro et
	Α				277/564;	al.
					277/565	
1	US	20000829	Coupling	417/269		Kawaguchi;
	6109883		construction of			Masahiro et
	A		compressor			al.
	2 %		housing and			
			method for			
			manufacturing			
			compressor			
1	US	20000815	Electromagnetic	417/222.2		Kawaguchi;
	6102668		control valve			Masahiro et
	Α					al.
1	US	20000620	Variable	417/222.1	417/269	Nagai;
	6077047	20000020	displacement	11//222.1	1177207	Hiroyuki et
			<u>-</u>			•
<u> </u>	A	00000	compressor	00/65 5	41.772.55	al.
1	US	20000620	Variable	92/12.2	417/269;	Kawaguchi;
	6076449		displacement		92/57;	Masahiro et
	Α		compressor		92/71	al.
1	US	20000613	Scroll compressor	409/132	29/888.02;	Ishikawa;
	6074141		having grooves for		29/888.022;	Kimihiro et
	A		seal members		409/131;	al.
	Λ.		scai memocis			u1.
					418/55.2;	
					418/55.4	
1	US	20000523	Refrigerant	417/362	474/94	Suito; Ken

	6065943 A		compressor having improved drive power transmission unit			et al.
1	US 6062823 A	20000516	Control valve in variable displacement compressor	417/222.2	251/129.02; 251/129.07; 251/129.15	Kawaguchi; Masahiro et al.
1	US 6059538 A	20000509	Control valve for variable displacement compressor	417/222.2	251/337; 251/64	Kawaguchi; Masahiro et al.
1	US 6056513 A	20000502	Variable displacement compressor and method for controlling the same	417/222.1	417/222.2; 417/270	Kawaguchi; Masahiro et al.
1	US 6048178 A	20000411	Compressor	417/222.2	417/269; 417/569	Kawaguchi; Masahiro et al.
1	US 6036447 A	20000314	Control valve having a ground connection for the actuator coil	417/222.2	251/129.02; 251/129.15; 335/28; 439/92	Kawaguchi; Masahiro et al.
1	US 6033189 A	20000307	Control valve	417/222.2	251/129.02; 251/129.15; 335/255; 439/607	Miura; Shintaro et al.
1	US 6024008 A	20000215	Variable displacement compressor, swash plate, and method for hardening swash plate	92/12.2	91/505; 92/71	Kawaguchi; Masahiro et al.
1	US 6022961 A	20000208	Fluorescent stain containing pyrylium salt and fluorescent staining method of biological sample	536/24.3	435/6; 536/24.31; 536/24.32; 536/24.33; 549/13; 549/28; 549/356	Yamamoto; Nobuko et al.
1	US 6010312 A	20000104	Control valve unit with independently operable valve mechanisms for	417/222.2		Suitou; Ken et al.

`;

			variable			
			displacement			
1	US	19991221	compressor Oxygenase	435/34	210/601;	Imamura;
1	6004772	19991221	expressing	433/34	435/252.1;	Takeshi et
	A		microorganism		435/262;	al.
	Α		strain JM1 (FERM		435/262.5;	ar.
			BP-5352) for		435/281;	
			degrading organic		435/29;	
			compounds		435/308.1;	
			without an inducer		435/4;	
					435/821;	
					435/822;	
					435/843;	
		1000111	_	200/50	435/975	**
1	US	19991116	Toner	399/58	399/30; 399/62	Yamamoto;
	5987273 A		concentration detecting method		399/02	Shinya
	A		and system			
1	US	19991102	Control valve in	417/222.2	417/213	Kawaguchi;
-	5975859		variable			Masahiro et
	Α		displacement			al.
			compressor and its			
			assembling method			
1	US	19991012	Control valve in	417/222.2		Suitou; Ken
	5964578		variable			et al.
	A		displacement			
1	US	19990907	compressor Piston type	417/269	184/6.17;	Ikeda;
1	5947698	19990907	compressor	417/209	92/71	Hayato et
	A		Compressor		, , , ,	al.
1	US	19990817	Detection of	435/6	436/501	Yamamoto;
	5939256		nucleic acid hybrid			Nobuko et
	A		variation which			al.
	i •	•	interacts with			
			double helix or			
			with second			
	.		reagent through			
			double helix by charge transfer and			
			probe for			
			hybridizing with			
			target nucleic acid			
1	US	19990713	Method of	29/888.022	29/558;	Fukanuma;
	5920985		manufacturing a		418/55.2	Tetsuhiko
	Α		movable scroll			et al.

`;

			element			
1	US 5906932 A	19990525	Process for soil remediation and apparatus used therefor	435/262.5	210/605; 405/128.5; 435/266; 435/289.1; 435/309.1	Kuriyama; Akira et al.
1	US 5893706 A	19990413	Cooling structure for compressor	417/373	184/104.1; 184/6.17; 184/6.22; 416/60; 417/269; 417/362	Kawaguchi; Masahiro et al.
1	US 5890876 A	19990406	Control valve in variable displacement compressor	417/213	137/907; 251/129.02; 251/61.5; 417/222.2	Suito; Ken et al.
1	US 5882180 A	19990316	Oil mist filter in a variable displacement compressor	417/222.2	417/313; 417/423.9; 92/78	Kawaguchi; Masahiro et al.
1	US 5871337 A	19990216	Swash-plate compressor with leakage passages through the discharge valves of the cylinders	417/222.2	417/269; 417/295; 417/571	Fukanuma; Tetsuhiko et al.
1	US 5865604 A	19990202	Displacement controlling structure for clutchless variable displacement compressor	417/222.2		Kawaguchi; Masahiro et al.
1	US 5853931 A	19981229	Photoreceptor for electrophotography	430/58.05	430/58.4; 430/66	Yamamoto; Shinya
1	US 5842835 A	19981201	Variable displacement compressor and its assembling method	417/222.2	417/270	Kawaguchi; Masahiro et al.
1	US 5842834 A	19981201	Swash plate type compressor employing single- headed pistons	417/222.2		Kawaguchi; Masahiro et al.
1	US 5836748 A	19981117	Swash plate type variable displacement	417/222.2	417/269	Kawaguchi; Masahiro et al.

;

	1	T		ı		
			compressor	1		
			utilizing a spool			
			for controlling the inclination			
1	US	19981110	Data transfer	711/113	711/112;	Kurokawa;
1	5835939	19981110	control method	/11/113	711/112,	Isamu et al.
	A		and apparatus for		711/114,	Isamu et al.
	Α		external storage		711/116,	
			subsystem adapted		/11/154	
			to perform erasing			
			after writing			
1	US	19981006	Compressor piston	92/154	184/18;	Takenaka;
-	5816134		and piston type		184/6.17;	Kenji et al.
	A		compressor		92/158;	
			•		92/159	
1	US	19980915	Scroll type	418/55.3		Tsumagari;
	5807089		compressor with a			Yuichi et
	A		reinforced rotation			al.
			preventing means			
1	US	19980915	Scroll type	418/55.2	418/55.4	Fukanuma;
	5807088		compressor with			Tetsuhiko
	A		chamfered scroll			et al.
<u></u>	110	10000015	wall	417/229	194/6 17	V
1	US 5807076	19980915	Lubrication method and	417/228	184/6.17; 184/6.3;	Kawaguchi; Masahiro et
	A		lubrication		417/222.2;	al.
	A		controlling		417/53;	ai.
			apparatus for		92/154	
			clutchless) 2, 13 .	
			compressor			
1	US	19980825	Swash plate type	417/222.2	417/295	Kawaguchi;
	5797730		compressor			Masahiro et
	A		•			al.
1	US	19980728	Control apparatus	417/222.2	417/222.1;	Ota;
	5785502		for variable		417/270	Masaki et
	A		displacement			al.
		1000	compressor	10.516.5	12.5/1.5	
1	US	19980623	Quantitative	436/86	436/13;	Yamamoto;
	5770452		determination of		436/15;	Nobuko et
	A		lipid, and of co-		436/164;	al.
			existing two		436/71; 436/8	
1	US	19980609	compounds Variable capacity	417/222.2	417/295	Ota;
1	5762476	13300003	single-headed	71//222.2	71/1/293	Masaki et
		I				i .
	Ι Δ		niston refrigement	1	1	l al
	A		piston refrigement compressor			al.

;

1	US	19980526	Scroll type	148/439	420/532;	Yamamoto;
	5755898		compressor and		420/534;	Shinya et
	Α		method for		420/535	al.
			manufacturing the			
			same			
1	US	19980519	Method for	435/91.1	435/259;	Yano;
	5753466		recovering DNA		435/34;	Tetsuya et
	Α		from soil		435/6;	al.
					435/9;	
					536/127;	
					536/22.1;	
					536/23.1;	
	710	10000401	* * * 1 1	417/200	536/25.4	X7 1
1	US 5741122	19980421	Variable	417/222.2		Yokono; Tomohiko
			displacement			et al.
	A		compressor having a spool with a			et ai.
			coating layer			
1	US	19980203	Clutchless piston	417/222.2	417/295	Kawaguchi;
1	5713725	17700203	type variable	1177222.2	1177293	Masahiro et
	A		displacement			al.
	*-		compressor			
1	US	19980203	Pile patterning	66/106	66/31;	Seino;
	5713220		mechanism for		66/9R	Masahiro et
	Α		circular knitting		:	al.
			machine and			
			knitted article			
		•	knitted by the			
			circular knitting			
		1000010=	machine	410/550	20/000 000	
1	US	19980127	Method of	418/55.2	29/888.022	Fukanuma;
	5711659		manufacturing a			Tetsuhiko
	A		movable scroll			et al.
			element and a scroll element			
	;					
			produced by the same method			
1	US	19980106	Method for	435/6	435/810;	Okamoto;
	5705346	17760100	detecting a target	75510	436/501;	Tadashi et
	A		nucleic acid by		536/23.1;	al.
	• •		using an		536/24.1;	
		•	interaction of two		536/24.3;	
			kinds of reagents		536/24.31;	
					536/24.32;	
					536/24.33	
1	US	19971028	Piston type	417/222.2	417/295	Kawaguchi;

;

	5681150		variable			Masahiro et
	Α		displacement			al.
			compressor			
1	US	19970923	Nucleic acid	435/6	435/288.2;	Yamamoto;
	5670315		determination		435/288.4;	Nobuko et
	Α		employing		435/288.5;	al.
			pyryilium dye		435/91.2	
1	US	19970624	Scroll compressor	418/55.2	418/55.1	Tsumagari;
	5641278					Yuichi et
	A			14 7 10 60		al.
1	US	19970617	Compressor with	417/269	74/55;	Murakami;
	5639223		cylindrical cam		74/56;	Kazuo et al.
	Α		surface		74/567;	!
<u> </u>	TIO	10070610	0 1 1 1	417/222 2	74/569	G 1
1	US 5626072	19970610	Crank chamber	417/222.2	417/298	Sonobe;
	5636973		pressure controlled			Masanori et al.
	A		swash plate			ai.
			compressor with			
			suction passage opening delay]
	•		during initial load			
			condition			
1	US	19970603	Wave cam type	417/269	74/56;	Murakami;
1	5634775	15570005	compressor	1177203	91/502	Kazuo et al.
	A		- Compressor			
1	US	19970429	Detection method	435/6	549/13;	Yamamoto;
	5624798		of nucleic acid by		549/28;	Nobuko et
	Α		use of fluorescent		549/356;	al.
			pyrylium stain in		549/424;	
			intercalation into		8/506	
			nucleic acids			
1	US	19970429	Piston type	417/222.2		Kawaguchi;
	5624240		variable			Masahiro et
	A		displacement			al.
	T I C	10070404	compressor	417/222		37.1
1	US	19970401	Variable	417/222.2		Yokono;
	5616008		displacement			Tomohiko
1	A	10070219	Clutchloss piston	417/222.2	417/295	et al.
1	US 5602610	19970218	Clutchless piston	417/222.2	41 //293	Kawaguchi; Masahiro et
	5603610		type variable displacement			al.
	Α		compressor			aı.
1	US	19970128	Scroll type	418/55.1	418/151	Yamamoto;
'	5597297	17770120	compressor	110/33.1	110/131	Shinya et
	A		Compressor			al.
1	US	19961224	Bearing structure	417/222.2	417/269;	Kawaguchi;
		17701227		1 . 1 . 1 . 2 . 2 . 2	1.1.1.207,	124,74540111,

٠,

	5586870		used in a		417/270;	Masahiro et
	Α		compressor		417/362; 91/499	al.
1	US 5584670 A	19961217	Piston type variable displacement compressor	417/222.2	417/295	Kawaguchi; Masahiro et al.
1	US 5581880 A	19961210	Method for machining scroll member	29/888.022	409/132	Iio; Junichi et al.
1	US 5580228 A	19961203	Scroll compressor having grooves for seal members	418/55.2	29/888.022; 418/142; 418/55.4	Ishikawa; Kimihiro et al.
1	US 5577894 A	19961126	Piston type variable displacement compressor	417/222.2	417/295	Kawaguchi; Masahiro et al.
1	US 5575635 A	19961119	Scroll compressor having eccentric shaft lubrication	418/55.5	418/100; 418/55.6	Yamamoto; Yuuji et al.
1	US 5568386 A	19961022	Automated correction control system and method for characteristics of throttle position sensor	701/51	123/361; 477/121	Sugiura; Masayuki et al.
1	US 5562426 A	19961008	Scroll type refrigerant compressor	417/310	417/295; 417/440	Watanabe; Yasushi et al.
1	US 5547346 A	19960820	Variable displacement compressor	417/222.2	92/12.2	Kanzaki; Shigeki et al.
1	US 5545521 A	19960813	Method for detecting bioindividuals by use of nonnatural type nucleic acid probe	435/5	435/6; 435/91.1; 436/164; 436/172; 436/800; 436/94; 536/23.1; 536/23.72; 536/23.74; 536/24.32	Okamoto; Tadashi et al.
1	US 5545020 A	19960813	Scroll type compressor with spiral seals	418/55.4	418/55.2; 418/55.3	Fukanuma; Tetsuhiko et al.

`;`

1	US 5529461 A	19960625	Piston type variable displacement compressor	417/222.2	417/269	Kawaguchi; Masahiro et al.
1	US 5525403 A	19960611	Thermal transfer printing medium	428/32.79	428/209; 428/913; 428/914; 503/204; 503/226	Kawabata; Hitomi et al.
1	US 5505809 A	19960409	Method of preparing a plurality of ceramic green sheets having conductor films thereon	156/264	156/261; 156/89.12; 264/153; 29/25.42; 361/321.2	Yamamoto; Shinya et al.
1	US 5501584 A	19960326	Scroll type compressor having a passage from the suction chamber to a compression pocket	418/15	418/55.1; 418/55.2	Yamamoto; Shinya et al.
1	US 5498140 A	19960312	Variable displacement compressor	417/199.1	417/222.1; 417/272; 417/310; 92/12.2	Kawaguchi; Masahiro et al.
1	US 5491093 A	19960213	Quantitative determination of lipid, and of co- existing two compounds	436/71	436/164; 436/166	Yamamoto; Nobuko et al.
1	US 5478223 A	19951226	Scroll type compressor having reaction force transmission and rotation prevention for the moveable scroll	418/55.3	418/55.6; 464/102	Yamamoto; Shinya et al.
1	US 5477773 A	19951226	Wave plate type compressor	92/71	417/269; 74/60; 92/138	Murakami; Kazuo et al.
1	US 5452647 A	19950926	Wave plate type compressor	92/71	74/56; 74/57	Murakami; Kazuo et al.
1	US 5437746	19950801	Aluminum alloy sheet for discs	148/439	148/415; 148/417;	Usui; Eiki et al.

`;`

	A	10050001	having good platability	410/55.5	148/418; 148/440; 148/523; 148/551; 148/552; 148/691; 148/692; 148/695; 420/532; 420/533; 420/547; 420/547; 420/550; 428/650; 428/652; 428/687; 428/928	
1	US 5437543 A	19950801	Scroll type refrigerant compressor with means for improving airtight sealing of compression chambers	418/55.5	418/151; 418/57	Goto; Kunifumi et al.
1	US 5427513 A	19950627	Scroll type compressor having a displaced discharge port	418/55.2	418/142; 418/55.4	Yamada; Kiyohiro et al.
1	US 5419690 A	19950530	Scroll type refrigerant compressor with means for preventing mechanical crack of the housing	418/55.1	418/178; 418/179; 418/55.2	Goto; Kunifumi et al.
1	US 5389453 A	19950214	Aluminum alloy material having a surface of excellent zinc phosphate processability	428/639	205/213; 427/406; 427/427; 427/436; 427/437; 428/614; 428/650; 428/658	Toyose; Kikurou et al.
1	US 5387091	19950207	Variable capacity type swash plate	417/222.2	92/12.2	Kawaguchi; Masahiro et

``.

	A		compressor		1	al.
1	US	19950117		417/269	91/499	Kawaguchi;
1		19930117	Guiding	417/209	91/499	
	5382139		mechanism for			Masahiro et
1	Α		reciprocating			al.
			piston of piston			
			type compressor			
1	US	19941122	Scroll type	418/55.1	418/151;	Fukanuma;
	5366357		compressor having		418/55.5;	Tetsuhiko
	Α		a counterweight		418/55.6;	et al.
1			mounted with a		418/57	
			clearance on a		110/57	
	-		driveshaft			
1	US	19930914		148/551	149/420.	Voucemahi
1		19930914	Aluminum alloy	148/331	148/439;	Kawaguchi;
	5244516		plate for discs with		148/552;	Masahiro
	A		improved		148/691;	
			platability and		428/846.7	
			process for			
			producing the]	
			same			
1	US	19920218	Container	D9/418		Yamamoto;
	D323987					Shinya et
	S					al.
1	US	19910716	Continuously	417/222.1	417/269	Kobayashi;
1	5032060	17710710	variable capacity	7177222.1	417/209	Hisao et al.
	ř					TIISau et ai.
	Α		swash plate type			
			refrigerant	•		
			compressor			
1	US	19901113	Method of	148/547	148/548;	Ohsaki;
İ	4969957		producing a		148/653	Shigemi et
i	Α		mechanical			al.
			component with			
			superior fatigue			
			strength			
1	US	19891226	Cassette for	206/723	220/350;	Yamamoto;
^	4889229		storing a plurality		221/285;	Shinya et
	A A		of electronic		221/205;	al.
			component chips		29/740;	^{u1.}
			component emps		1	
1	TIC	1000000	Coil here are set	72/12 2	29/809	V.meres et :
1	US	19890926	Coil box apparatus	72/12.2	72/128;	Kuramoto;
	4869089				72/148;	Satoru
	A				72/202	
1	US	19890905	Diagnostic	318/563	318/568.14;	Kuramoto;
	4864203		apparatus		318/568.24	Satoru
	Α					
1	US	19890711	Cassette storing a	206/701	221/174;	Hamuro;
	4846345		plurality of		221/186;	Mitsuro et
ئــــا	1010515		Practicy of	L	,	

`;

	A		electronic component chips including means for securing the cassette to a hopper	415/00	221/285; 221/306; 29/740	al.
1	US 4844703 A	19890704	Variable displacement vane compressor	417/295	417/12; 417/310	Watanabe; Yasushi et al.
1	US 4842490 A	19890627	Variable displacement vane compressor	417/295	417/310	Watanabe; Yasushi et al.
1	US 4838740 A	19890613	Variable displacement vane compressor	417/295	417/310	Watanabe; Yasushi et al.
1	US 4808083 A	19890228	Variable capacity type vane compressor	417/295	417/310	Watanabe; Yasushi et al.
1	US 4764496 A	19880816	Thermal transfer recording medium having an improved hotsticking resistance	503/227	427/256; 428/209; 428/32.64; 428/333; 428/698; 428/702; 428/704; 428/913; 428/914; 8/471	Narui; Hiroshi et al.
1	US 4747063 A	19880524	Method of determining an optimum set value for a side trimming machine	700/171	409/138; 409/303; 72/203; 72/8.9	Kuramoto; Satoru
1	US 4728874 A	19880301	Method for controlling intermittent operations of processing apparatus	318/571	318/39; 700/149	Kuramoto; Satoru
1	US 4672830 A	19870616	Method of controlling an edging opening in a rolling mill	72/9.3	700/149; 72/199; 72/235; 72/8.9	Tsukamoto; Hidehiko et al.
1	US 4631112 A	19861223	Surface-treated aluminum alloy substrates for	216/101	205/223; 216/22; 252/79.2	Usui; Eiki et al.

`,`

	magnetic disks		